

## REMARKS

In response to the Office Action dated June 9, 2006, Applicants respectfully request reconsideration based on the above amendments and the following remarks. Applicants respectfully submit that the claims as presented are in condition for allowance.

The drawings were objected to as not showing a pressure sensor described in paragraph [0021]. Figure 2 has been amended to include the pressure sensor and paragraph [021] has been amended to include a reference numeral for this element.

Claims 17-21 have been canceled to expedite prosecution. Such cancellation should not be construed as acquiescence in any rejections of these claims.

Claims 1-16 were rejected under 35 U.S.C. § 112, first paragraph as allegedly failing to comply with the enablement requirement. The Examiner submits that there is insufficient explanation in the specification concerning the equalization device. Applicant respectfully disagrees. Paragraph [0021] is provided below.

In order to ensure that this does not happen and to ensure that the writing pad 20 can function in such an environment, and also to ensure that marks do not appear on writing pad 20 from the ambient water pressure applied to the writing pad 20, the gap 36 must be automatically equalized. The gap 36 is automatically equalized electronically by an auto-equalizing device 50. The auto-equalizing device 50 is implemented by hardware and/or software and works by comparing the voltage gradient against the pressure gradient reported by the pressure sensor 51, and an offset current relative to the depth is computed. The offset current is updated as the depth changes. Accordingly, writing is detected with reference to the offset current and the writing pad 20 is able to work underwater even as the water pressure varies.

As described in paragraph [0021], the pressure sensor is used to generate and offset current. The detection of writing on the pad is determined relative to the offset current. For example, if there is no water pressure on the writing pad, then the offset current is 0, and writing on the pad is detected by a signal from the writing pad with no offset. For ease of illustration, assume that writing on the pad generates 1 volt when there is no additional pressure on the writing pad. As the device travels deeper underwater, the offset increases. For example, if water pressure generates an offset of 4 volts, then writing on the pad is detected for signals of 5 volts (offset voltage plus writing voltage). Accordingly, writing on the pad is determined with reference to the reference pressure from the pressure sensor. This

ensures that the water pressure on the writing pad is not erroneously mistaken for writing. This is described in paragraph [0021] by at least “writing is detected with reference to the offset current” in conjunction with the other text in the application.

It is important to note the standard for enablement, reproduced below from MPEP § 2164.01.

Any analysis of whether a particular claim is supported by the disclosure in an application requires a determination of whether that disclosure, when filed, contained sufficient information regarding the subject matter of the claims as to enable one skilled in the pertinent art to make and use the claimed invention. The standard for determining whether the specification meets the enablement requirement was cast in the Supreme Court decision of *Mineral Separation v. Hyde*, 242 U.S. 261, 270 (1916) which postured the question: is the experimentation needed to practice the invention undue or unreasonable? That standard is still the one to be applied. *In re Wands*, 858 F.2d 731, 737, 8 USPQ2d 1400, 1404 (Fed. Cir. 1988). Accordingly, even though the statute does not use the term "undue experimentation," it has been interpreted to require that the claimed invention be enabled so that any person skilled in the art can make and use the invention without undue experimentation.

In the present case, one of ordinary skill in the art would not need “undue experimentation” to make and use the invention. The notion of using an offset voltage to represent ambient water pressure, and measuring writing on the writing pad relative to the offset would not require undue experimentation. This concept of using offsets and measuring signals relative to offsets, although novel and non-obvious in the present application, permeates the field of electronics. Thus, no “undue experimentation” would be necessary to make and use the invention.


For the above reasons, claims 1-16 are enabled and the rejection should be withdrawn.

In view of the foregoing remarks and amendments, Applicants submit that the above-identified application is now in condition for allowance. Early notification to this effect is respectfully requested.

If there are any charges with respect to this response or otherwise, please charge them to Deposit Account 06-1130.

Respectfully submitted,

By: \_\_\_\_\_

  
David A. Fox

Registration No. 38,807

CANTOR COLBURN LLP

55 Griffin Road South

Bloomfield, CT 06002

Telephone (860) 286-2929

Facsimile (860) 286-0115

Customer No. 36192

Date: September 11, 2006